Substitut	e for form 1	449A/PT	0		Complete if kindwn		
				Application Number	09/939,514	==	
	MATION			Filing Date	August 24, 2001		Ó
STATE	MENT B	Y APPI	LICANT	First Named Inventor	Sessler, et al.	Z	_ <
				Group Art Unit	1626		89
(use a	as many she	eets as n	ecessary)	Examiner Name	Not yet assigned		
Sheet	1	of	7	Attorney Docket Number	045404.0003	ළ	20
					· · · · · · · · · · · · · · · · · · ·		

	U.S. PATENT DOCUMENTS						
Ref.	Exr	U.S. Patent Docu	ment	Name of Inventor or Applicant of Cited	Date of Publication of		
Des.	initials	Number	Kind Code (if	Document	Cited Document MM-DD-YYYY		
A3		5,410,045	101150	Sessier, et al.	04-25-1995		
A4	1.	5,530,123	/ 72	Sessler, et al.	06-25-1996		
A1		5,808,059	nou 2 0 2001	Sessler, et al.	09-15-1998		
A2		6,262,257		Gale, et al.	07-17-2001		
			18				
	T		TRADEMAK!				

			- 4 TRAU						
FOREIGN PATENT DOCUMENTS									
Ref.			Foreign Patent Docum	nent		Date of	T ₁		
Des.	Exr Initials	Country Code	Number	Kind Code (if known)	Name of Inventor or Applicant of Cited Document	Publication of Cited Document MM-DD-YYYY			
B2		WO	89/08092		Wainwright	09-08-1989			
B1		WO	93/13150		Guthrie, et al.	07-08-1993			
В3		EP	0 233 701	A2	Fukuda, <i>et al.</i>	08-26-1987			

		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Ref. Des.	Exr. Init.	Include Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), page(s), date (in parentheses). If a book, also include publisher and city and/or county where published.	Т,
C1		ALLEN, et al., "Binding of Neutral Substrates by Calix[4]pyrroles," J. Am. Chem. Soc., Vol. 118, No. 49, pp. 12471-12472, September, 1996, American Chemical Society.	
C2		ANDREETTI, G., "Crystal and Molecular Structure of Cyclo{quater[(5-t-butyl-2-hydroxy-1,3-phenylene)methylene]} Toluene (1:1) Clathrate," J.C.S. Chem. Comm., 1005-1007, 1979, The Royal Society of Chemistry.	
C3	1	ASFARI, et al., "Quick Synthesis of the First Double Porphyrin Double Calix[4]arene," Tetrahedron Letters, Vol. 34, No. 4, pp. 627-628, 1993, Elsevier Science Ltd.	
C4	-\	BAEYER, A., "Ueber ein Condensationsproduct von Pyrrol mit Aceton," Ber. Dtsch. Chem. Ges., 19:2184-2185, 1886, The Royal Society of Chemistry.	
C5		BEER, et al, "A Neutral Upper to Lower Rim Linked Bis-Calix[4]arene Receptor that Recognises Anionic Guest Species," <i>Tetrahedron Letters</i> , Vol. 36, No. 5, pp. 767-770, January, 1995, Elsevier Science Ltd.	
C6	,	BEER, et al., "Anion Recognition by Novel Ruthenium(II) Bipyridyl Calix[4]arene Receptor Molecules," J. Chem. Soc., Chem. Commun., 1269-1271, 1994, The Royal Society of Chemistry.	
C7	,	BEER, et al., "Anion Recognition by Redox-Responsive Ditopic Bis-Cobaltocenium Receptor Molecules Including a Novel Calix[4]arene Derivative That Binds a Dicarboxylate Dianion," Organometallics, 14:3288-3295, July, 1995, American Chemical Society.	
C8		BEER, et. al., "Structures of Potassium encapsulated within the 1,3-Alternate Conformation of Calix[4]arenes," J. Chem. Soc. Dalton Trans., 3479-3485, 1994, The Royal Society of Chemistry.	
C9		BEER, et al., "Synthesis and Co-ordination Chemistry of a Novel Bis (Benzo Crown Ether) Substituted Calix[4]arene that can Simultaneously Complex Cations and Anions," J. Chem. Soc. Dalton Trans., 3117-3123, October, 1995, The Royal Society of Chemistry.	
		$n \ln n$	

	 7/2///
Examiner Signature	Date // Considered

		•	;;;
Substitute for form 1449B		Complete if Known	<u> </u>
01.5%	Application Number	09/939,514	
INFORMATIÓN DISCLOSU	Filing Date	August 24, 2001	<u> </u>
STATEMENT BY APPLICANT	First Named Inventor	Sessler, et al.	
	Group Art Unit	1626	
(use as many heets as necessary)	Examiner Name	Not yet assigned	
Sheet 2 FORADEMRY	Attorney Docket Number	045404.0003	
Officer 2 FYRAILEW !			122 -1

THER PRIOR ART - NON PATENT LITERATURE DOCUMENTS Ref. Ext. Include Name of first Author (in CAPITAL LETTERS), tills of the article (where appropriate), tills of the item with the cook, magazina, journal, serial, symposium, catalog, etc.), volume-sisse number(s), page(s), date (in parentheses), if a book, signoidant date, etc.) with a protein parentheses). If a book, signoidant depublisher and city and/or county where published. C10 BÖHMER V., "Calixarense, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. BONAR-LAW, R., "Porphyrin Synthesis in Surfactant Soutions: Multicomponent Assembly in Micelles," J. Org. Chem., 61:3623-3634, January, 1996, American Chemical Society. J. of Chem., 49: 0017-0022, 1971, N. R. C. Research Press. C13 BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J. of Chem., 49: 0017-0022, 1971, N. R. C. Research Press. C14 CHELINTZEV. et al., "Simple condensation of pyrrole with methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. C14 CHEN. LINTZEV. et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C15 CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]erenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. C16 CRESCENZI, et al., "The NgO2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "A LigTig-substituted acetylene formed from ethylene by reaction with Tetrahydrofuran," J. Chem. Soc.,	Sheet	2	Attorney Docket Number 045404.0003	
Ref. bs. Ext. Include Name of first Author (in CAPITAL LETTERS), tills of the article (where appropriate), till (book, magarine, journal, serial, symposium, catalog, etc.) volumie-sisse number(s), pageid, bade (in parentheses). If a book, also include publisher and city and/or county where published. C10 / BÖHMER, V., "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. C11 / BÖHMER, V., "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. C12 / BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J., Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C13 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C14 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C15 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C16 / CHELINTZEV, et al., "Simple condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 142-454, American Chemical Society. C14 CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C15 CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing Abstracts only, pp. 452-454, American Chemical Society. C16 CHEN			2	
Ref. bs. Ext. Include Name of first Author (in CAPITAL LETTERS), tills of the article (where appropriate), till (book, magarine, journal, serial, symposium, catalog, etc.) volumie-sisse number(s), pageid, bade (in parentheses). If a book, also include publisher and city and/or county where published. C10 / BÖHMER, V., "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. C11 / BÖHMER, V., "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. C12 / BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J., Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C13 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C14 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C15 / Or Chem., 49: 4017-4022, 1971, N. R. C. Research Press. C16 / CHELINTZEV, et al., "Simple condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 142-454, American Chemical Society. C14 CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C15 CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing Abstracts only, pp. 452-454, American Chemical Society. C16 CHEN			OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
 Des. Init. (book, magazine, journal, serial, symposium, catalog, ect.), volume-tase unimorter, juegets, vale tin parentheses. If a book, also include polisher and city and/or county where published. BÖHMER, V., "Calitxarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Init. Ed. Engl., 34:173-1745, July, 1995, VCH Verlagsgesellschaft. BONAR-LAW, R., "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles," J. Org. Chem., 61:3623-3634, January, 1996, American Chemical Society. BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J. of Chem., 49: 4017-4022, 1971, N. R. C. Research Press. CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone and methylhexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moietles," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N₂O₂ porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Lig Tig-substituted acetylene formed from ethylene by reaction with (mess-o-catethyl porphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemis	Ref	Fxr	Linguide Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item	T ₁
BöhmER V, "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew. Chem. Intl. Ed. Engl., 34:713-745, July, 1995, VCH Verlagsgesellschaft. Bönar-Law, R., "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles," J. Org. Chem. 61:3623-3634, January, 1996, American Chemical Society. BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J. of Chem., 49: 4017-4022, 1971, N. R. C. Research Press. CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone and methylhexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHELINTZEV, et al., "Synthesis and electrochemical polymerization of calix/4]arenes containing N-substituted pyrrole moteites," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A LizTiz-substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen) titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V.C.H. Verlagsgesellschaft. C18 De ANGELIS, et al., "Osiovent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes lead			(book magazine journal serial symnosium catalog etc.) volume-Issue number(s), page(s), date (iii	
C11 BONAR-LAW, R., "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles," <i>J. Org. Chem.</i> , 61:3623-3634, January, 1996, American Chemical Society. C12 BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," <i>Canadian J. of Chem.</i> , 49: 4017-4022, 1971, N.R.C. Research Press. C13 CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone and methylnexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," <i>J. Russian Physical Chem.</i> , 50c., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. C14 CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," <i>J. Russian Physical Chem.</i> , 50c., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C16 CHELINTZEV, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 393: 113-117, August, 1995, Elsevier Science. C16 CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 15:20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with (meso-octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C20 De ANGELIS, et al., "Organometallic chemistry of a			parentheses). If a book, also include publisher and city and/or county where published.	
C11 BONAR-LAW, R., "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles," <i>J. Org. Chem.</i> , 61:3623-3634, January, 1996, American Chemical Society. C12 BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," <i>Canadian J. of Chem.</i> , 49: 4017-4022, 1971, N.R.C. Research Press. C13 CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone and methylnexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," <i>J. Russian Physical Chem.</i> , 50c., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. C14 CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," <i>J. Russian Physical Chem.</i> , 50c., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C16 CHELINTZEV, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 393: 113-117, August, 1995, Elsevier Science. C16 CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 15:20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with (meso-octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C20 De ANGELIS, et al., "Organometallic chemistry of a	C10	!	BÖHMER, V., "Calixarenes, Macrocycles with (Almost) Unlimited Possibilities," Angew.	1 1
BONAR-LAW, R., "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly in Micelles," J. Org. Chem., 61:3623-3634, January, 1996, American Chemical Society. BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J. of Chem., 49: 4017-4022, 1971, N R C Research Press. CHELINIZEV, et al., "Simple condensation of pyrrole with methylethyl ketone, and methylhexyl ketone, mixed condensation of pyrrole with methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINIZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen) in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen in Solution and in the Solid State and Reaction with the International Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins 2. The redox chemistry of iron (III)- and cobatt (II)-meso-octaethylporphyrins 2. The redox chemistry of nicke(III)- and copper (II)-meso-oc		H	Chem Intl. Ed. Engl. 34:713-745, July 1995, VCH Verlagsgesellschaft.	ļ
in Micelles," J. Org. Chem., 61:3623-3634, January, 1996, American Chemical Society. BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian J. of Chem., 49: 4017-4022, 1971, N R C Research Press. CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone, and methylhexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A LigTig-substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V.C. H. Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porthyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane unit," J. Am. Chem. Soc., 116:570	C11	1	RONAR-LAW R "Porphyrin Synthesis in Surfactant Solution: Multicomponent Assembly	
C12 BROWN, et al., "The Condensation of Cyclohexanone with Furan and Pyrrole, Canadian J. of Chem., 49: 4017-4022, 1971. N R C Research Press. CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone, and methylnexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A LipTi2-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen) itinium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,1,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. Th	011	IJ.	in Micelles," J. Org. Chem., 61:3623-3634, January, 1996, American Chemical Society.	
C13 CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone and methylhexyl ketone, mixed condensation of pyrrole with methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. C14 CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. C15 CHEN, et al., "Synthesis and electrochemical polymerization of calix(4)larenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. C16 CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)litanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cle	C12	₩	BROWN et al. "The Condensation of Cyclohexanone with Furan and Pyrrole," Canadian	
CHELINTZEV, et al., "Simple condensation of pyrrole with methylethyl ketone, and methylethyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix(4)larenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen) hittanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopr	CIZ		1 of Chem. 49: 4017-4022 1971 N.R.C. Research Press.	
methylhexyl ketone, mixed condensation with acetone and methylethyl ketone, and relation of these reactions to the determination of the formulas of chlorophyll and hemin," <i>J. Russian Physical Chem. Soc.</i> , 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products." <i>J. Russian Physical Chem. Soc.</i> , 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing <i>N</i> -substituted pyrrole moieties," <i>J. Electroanalytical Chem.</i> , 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N ₂ O ₂ porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li ₂ Ti ₂ -substituted acetylene formed from ethylene by reaction with (<i>meso-</i> octaethyl porphyrinogen) titianium," <i>Angewante Chemie</i> , International Edition, English, 34:1092-1094, June, 1995, V.C. H. Verlagsgesellschaf. CB. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. CP. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) <i>meso-</i> octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. CP. De ANGELIS, et al., "Oxidation of metal- <i>meso</i> -octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nicket(II)- and copper (II)- <i>meso</i> -octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> ,	040		CHELINITYEY at at "Simple condensation of pyrrole with methylethyl ketone and	
relation of these reactions to the determination of the formulas of chlorophyll and nemin. J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1418, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li ₂ Ti ₂ -substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen) itlanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porthyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes	C13	1,	methylbavyl kotone, mixed condensation with acetone and methylethyl ketone, and	
J. Russian Physical Chem. Soc., 48:1197-1209, 1916, Chemical Abstracts only, p. 1416, American Chemical Society. CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products." J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society.		$1 \setminus$	metry next those reactions to the determination of the formulas of chlorophyll and hemin,"	
C14 CHELINTZEV, et al, "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. C16 CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinosen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the f		\	1 / Russian Dhysical Cham. Soc. 48:1107-1209, 1916. Chemical Abstracts only, p. 1418.	
CHELINTZEV, et al., "Process of condensation of pyrrole and acetone. Constitution of the resulting products," J. Russian Physical Chem. Soc., 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N ₂ O ₂ porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A LigTig-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 2. The redox chemistry of irion (II)- and coobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and cooper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and clea			J. Russian Physical Chem. 300., 40.1191-1200, 1010, Chemical Registry	
resulting products," <i>J. Russian Physical Chem. Soc.</i> , 48:105-155, 1916, Chemical Abstracts only, pp. 452-454, American Chemical Society. CHEN, <i>et al.</i> , "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," <i>J. Electroanalytical Chem.</i> , 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, <i>et al.</i> , "The N ₂ O ₂ porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, <i>et al.</i> , "A LigTi2-substituted acetylene formed from ethylene by reaction with (<i>meso-</i> octaethyl porphyrinogen)titanium," <i>Angewante Chemie</i> , International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, <i>et al.</i> , "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, <i>et al.</i> , "Organometallic chemistry of a titanium (IV) <i>meso-</i> octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso-</i> octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)- <i>meso-</i> octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso-</i> octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)- <i>meso-</i> octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Ch</i>		 - - - - - - - - - 	American Chemical Society.	
Abstracts only, pp. 452-454, American Chemical Society. CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane units," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol,"	C14	1 1	CHELINIZEV, et al., "Process of condensation of pyriole and addition." Conditions of the	
CHEN, et al., "Synthesis and electrochemical polymerization of calix[4]arenes containing N-substituted pyrrole moieties," J. Electroanalytical Chem., 393: 113-117, August, 1995, Elsevier Science. CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of C		1 1	resulting products," J. Russian Physical Chemical Society	
C16 C17 C18 C19		<u> </u>	Abstracts only, pp. 452-454, American Chemical Society.	
Elsevier Science. CRESCENZI, et al., "The N ₂ O ₂ porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "A Li ₂ Ti ₂ -substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. De ANGELIS, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DENNSTEDT, et al., "Wacrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	C15		CHEN, et al., "Synthesis and electrochemical polymerization of cally a large transfer and chemical pol	i
CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April, 1996, American Chemical Society. C17 De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (meso-octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DEINSTEDT, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	ļ			
coordinatively unsaturated transition metal ions," <i>Inorganic Chem.</i> , 35:2413-2414, April, 1996, American Chemical Society. De ANGELIS, <i>et al.</i> , "A Li2Ti2-substituted acetylene formed from ethylene by reaction with (<i>meso-</i> octaethyl porphyrinogen)titanium," <i>Angewante Chemie</i> , International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, <i>et al.</i> , "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, <i>et al.</i> , "Organometallic chemistry of a titanium (IV) <i>meso</i> -octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso</i> -octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)- <i>meso</i> -octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso</i> -octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)- <i>meso</i> -octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, <i>et al.</i> , "Useber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Disch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DENNSTEDT, <i>et al.</i> , "Useber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Disch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry.			Elsevier Science.	
1996, American Chemical Society. De ANGELIS, et al., "A LigTig-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18	C16		CRESCENZI, et al., "The N2O2 porphyrinogen skeleton: Access to a novel class of	
1996, American Chemical Society. De ANGELIS, et al., "A LigTig-substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18			coordinatively unsaturated transition metal ions," Inorganic Chem., 35:2413-2414, April,	
C17 De ANGELIS, et al., "A Li ₂ Ti ₂ -substituted acetylene formed from ethylene by reaction with (meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH			1006 American Chemical Society	<u> </u>
(meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition, English, 34:1092-1094, June, 1995, V C H Verlagsgesellschaf. De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	C17		De ANGELIS, et al., "A Li2Ti2-substituted acetylene formed from ethylene by reaction with	
C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH		1 1	(meso- octaethyl porphyrinogen)titanium," Angewante Chemie, International Edition,	
C18 De ANGELIS, et al., "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH			English 34:1092-1094, June, 1995, V.C.H. Verlagsgesellschaft.	
Octaethylporphyrinogen in Solution and in the Solid State and Reaction with Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	C18	++-	De ANGELIS et al. "Solvent-dependent Forms of Lithiated 5,5,10,10,15,15,20,20-	
Tetrahydrofuran," <i>J. Chem. Soc.</i> , Dalton Trans., 2467-2469, 1994, The Royal Society of Chemistry. De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso-octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH	١٠٠٠	1 1	Octaethylporphyringen in Solution and in the Solid State and Reaction with	1
Chemistry. C19 De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) mesooctaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH			Tetrahydrofuran," J. Chem. Soc., Dalton Trans., 2467-2469, 1994, The Royal Society of	
De ANGELIS, et al., "Organometallic chemistry of a titanium (IV) meso- octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," Organometallics, 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc., 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	1		Chemistry	
octaethylporphyrinogen complex: Carrier properties of polar organometallics and their behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH	C10	++	De ANGELIS, et al. "Organometallic chemistry of a titanium (IV) meso-	
behavior in insertion reactions," <i>Organometallics</i> , 14:4505-4512, October, 1995, American Chemical Society. De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso</i> -octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)- <i>meso</i> -octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, <i>et al.</i> , "Oxidation of metal- <i>meso</i> -octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)- <i>meso</i> -octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, <i>et al.</i> , "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, <i>et al.</i> , "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH	C 19		Legislathylporphyringgen complex: Carrier properties of polar organometallics and their	
C20 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. C21 De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	1		behavior in insertion reactions " Organometallics, 14:4505-4512, October, 1995, American	
De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH		1 1	Chamical Society	
to novel oxidized forms of porphyrinogen other than porhyrins. 2. The redox chemistry of iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	C20		Do ANGELIS et al. "Oxidation of metal-meso-octaethylporphyrinogen complexes leading	
iron (II)- and cobalt (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of two cyclopropane units," J. Am. Chem. Soc., 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	620		to payel exidized forms of porphyripogen other than porhyrins. 2. The redox chemistry of	İ
formation and cleavage of two cyclopropane units," <i>J. Am. Chem. Soc.</i> , 116:5702-5713, 1994, American Chemical Society. De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc.</i> , 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH	ļ		lican (II) and cohalt (II)-meso-octaethyloorphyringgen complexes occurring with the	
De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	1		formation and cleavage of two cyclopropane units." J. Am. Chem. Soc., 116:5702-5713,	
De ANGELIS, et al., "Oxidation of metal-meso-octaethylporphyrinogen complexes leading to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH		1 1	L 1004 American Chemical Society	
to novel oxidized forms of porphyrinogen other than porphyrins. 1. The redox chemistry of nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc</i> , 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. DIETRICH, et al., "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH	C24		Do ANGELIS, et al. "Oxidation of metal-meso-octaethylporphyrinogen complexes leading	
nickel(II)- and copper (II)-meso-octaethylporphyrinogen complexes occurring with the formation and cleavage of a cyclopropane unit," J. Am. Chem. Soc, 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	021		to nevel exidized forms of porphyringgen other than porphyrins. 1. The redox chemistry of	
formation and cleavage of a cyclopropane unit," <i>J. Am. Chem. Soc</i> , 116:5691-5701, 1994, American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," <i>Ber.</i> Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", <i>VCH</i> , New York, p. 82 and p. 160, 1993, VCH			pickol(II), and copper (II)-meso-octaethylpornhyringen complexes occurring with the	
American Chemical Society. C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH			formation and cleavage of a cyclopropane unit " J. Am. Chem. Soc. 116:5691-5701, 1994,	
C22 DENNSTEDT, et al., "Ueber die Einwirkung des Acetons auf das Pyrrol," Ber. Dtsch. Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH		}	American Chemical Society	
Chem Ges., 20:850-857, 1887, The Royal Society of Chemistry. C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	<u> </u>		American Chemical Society. DENINGTED at al. "Heber die Finwirkung des Acetons auf das Pyrrol." Ber. Dtsch.	1
C23 DIETRICH, et al., "Macrocyclic Chemistry", VCH, New York, p. 82 and p. 160, 1993, VCH	C22		DENNOTEDT, et al., Debet die Einwirkung des Accients dat das 1 yr. 5., 25% 25%	
Verlagsgesellschaft.	<u></u>		Chemistry" VCH New York in 82 and p. 160, 1993. VCH	
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	C23	1 '	UIETRICH, et al., Macrocyclic Chemistry, vort, New York, p. 52 and p. 130, 1600, 1 and	
•	L		W verlagsgesellschaft.	

Examiner Signature Date Considered

			C		
Substitute for form 1449B/PTO		Complete if Known		Z	
0116	Application Number	09/939,514	<u>``</u>	2	4
INFORMATION DISCLOSURE	Filing Date	August 24, 2001		_ . ~	
STATEMENT BY APPLICANT	First Named Inventor	Sessler, et al.		_ _ _	Ш
	Group Art Unit	1626		_^	4
(use as many sheets as necessary)	Examiner Name	Not yet assigned	_ <u>~</u>	_8_	ᆄ
Sheet 3 & PADEMARY 7	Attorney Docket Number	045404.0003	<u> </u>		
Check to the party			<u> </u>		<u> </u>

Onoor		A WAREN	
		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Ref. Des.	Exr. Irlit.	Include Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), page(s), date (in parentheses). If a book, also include publisher and city and/or county where published.	T ₁
C24		FLORIANI, C., "The discovery and future prospects of artificial porphyrins: Molecular batteries functioning with the reversible formation and cleavage of cyclopropane units," <i>Chimia</i> , 50:608-611, December, 1996, Neue Schweizerische Chemische Gesellschaft.	
C25		FLORIANI, C., "The porphyrinogen-porphyrin relationship: the discovery of artificial porphyrins." <i>Chem Commun.</i> , 1257-1263, June, 1996, The Royal Society of Chemistry.	
C26		FLORIANI, C., "Transition metal complexes as bifunctional carriers of polar organometallics: Their application to large molecule modifications and to hydrocarbon activation," <i>Pure and Applied Chem.</i> , 68:1-8, January, 1996, (IUPAC), Blackwell Science	
C27		FUJIMOTO, et al., "Synthesis and Crystallographic Studies of a Calix[4]arene with a 1,3-Alternate Conformation," J. Chem. Soc., Perkin Trans. 2, pp. 643-648, 1992, Royal	
C28		GALE, et al., "Calix[4]pyrroles: C-rim substitution and tunability of anion binding strength," Chem. Commun., pp. 665-666, 1997, The Royal Society of Chemistry.	
C29		GALE, et al., "Calix[4]pyrroles: Old Yet New Anion-binding Agents," J. Am. Chem. Soc.,	
C30		GALE, et al., "Calixprroles: old yet new anion binding agents," 31" Int'l Conf. on Coordination Chemistry, University of British Columbia, Vancouver, Canada, August 18, 1996, publisher unknown.	
C31		GALE, et al., "New Applications for Calixpyrroles," Royal Soc. Chem. U.K. Macrocycles Group Annual General Mtg., University of Wales, Cardiff, Wales, U.K., December 18,	
C32		GALE, et al., "Synthesis of a New Cylindrical Calix[4]arene-Calix[4]pyrrole Pseudo Dimer," Tetrahedron Letters, Vol. 37, No. 44, pp. 7881-7884, September, 1996, Elsevier Sciences	
C33		GHIDINI, et al., "Complexation of Alkai Metal Cations by Conformationally Rigid, Stereoisomeric Calix[4]arene Crown Ethers: A Quantitative Evaluation of Preorganization," J. Am. Chem. Soc. 112:6979-6985, 1990, American Chemical Society.	
C34		GOLDER, et al., "5,10,15,20-meso-tetrakis(3,5-di-t-butyl-4-quinomethide)porphyrinogen: a highly puckered tetrapyrrolic macrocycle from the facile aerial oxidation of a phenolic porphyrin," <i>J. Chem. Soc.</i> , Chemical Communications, 1751-1753, 1989, The Royal	
C35		ISOZ, et al., "Niobium-carbon functionalities supported by meso-octaethylporphyrinogen and derived macrocycles," Organometallics, 15, 337-344, January, 1996, American Chamical Society	
C36		JACOBY, et al., "Bifunctional carriers of organometallic functionalities: alkali-metal-zirconium-hydrido, -alkyl, and -allyl derivatives of meso-octaethylporphyrinogen and their reaction with isocyanides," <i>Organometallics</i> , 14:4816-4824, October, 1995, American Chemical Society	
C37		JACOBY, et al., "Electrophilic activation of aliphatic C-H bonds mediated by zirconium hydride entities and applied to the functionalization of the porphyrinogen periphery," J. Amer. Chem. Soc., 117:2805-2816, March, 1995, American Chemical Society.	
C38		JACOBY, et al., "Macrocyclic modification using organometallic methodologies. Regiochemically controlled mono- and bis-homologation reactions of porphyrinogen with carbon monoxide assisted by early transition metals," <i>J. Amer. Chem. Soc.</i> , 117:2793-2804, March, 1995, American Chemical Society.	

Examiner Signature Date Considered

•		(NOW B.O.			TECH		ヹ
Substitut	e for form	1449B/PT	<u>NOV 2 O</u> 2	2001 S	Complete if Known		<u>6</u>	<u>"</u>
				Application Number	09/939,514			4
INFOR	MATION	DISCLO	ŠŮŖĘ	Wiling Date	August 24, 2001	<u>m</u>	50	
STATE	MENT E	Y APPL	ICANT ^{ADE}	Application Number Piling Date First Named Inventor	Sessler, et al.		_ 	
				Group Art Unit	1626	<u>න</u>	20	_E
(use a	as many sh	neets as ne	cessary)	Examiner Name	Not yet assigned		_=_	_[1
Chast	14	of	7	Attorney Docket Number				工
Sheet	4	1 01		Attorney Doctor to the				
							-	п .

		NON PAYENT LITERATURE DOCUMENTS	
		OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS Include Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item	T ₁
Ref.	Exr.	Include Name of first Author (in CAPITAL LETTERS), title of title article (where appropriate), and of the decision (book, magazine, journal, serial, symposium, catalog, etc.), volume number(s), page(s), date (in	
Des.	Injt.	parentheses). If a book, also include publisher and city and/or county where published.	
020	 	IACORY et al. "meso-Octamethylporphyrinogen metal complexes: an entry to riigit	
C39	1 1	valent unsaturated metal centres," <i>J. Chem. Soc.</i> , Chemical Communications, 220-222,	
	1 '	Valent unsaturated metal centres, v. onom. sooi, stronger	
		1991, The Royal Society of Chemistry. JACOBY, et al., "The π and σ Bonding Modes of meso-Octaethylporphyrinogen to	
C40	1 /	Transition Metals: the X-ray Structure of a meso-Octaethylporphymics (IV)	
	1/	Transition Metals: the X-ray Structure of a meso-octaethylporphymogen Ligand." I Chem. Soc. Chem.	
	\ <i>/</i>	Complex and of the Parent meso-octaethylporphyrinogen Ligand," J. Chem. Soc., Chem.	
		Comm., pp. 790-792, 1991, The Royal Society of Chemistry.	
C41	\	JACOBY, et al., "Zirconium meso-octaethylporphyrinogen as a carrier for sodium hydride	
	1	in toluene: Zirconium-sodium bimetallic hydride and alkyls," J. Am. Chem. Soc.,	
	1 1	115:3595-3602, 1993, American Chemical Society.	
C42	$\top \top$	LONES of at "Mechanism of heterocyclic ring expansions. Part III. Reaction of pyrioles	
	\perp	with dichlorocarbene " J. Chem. Soc. 2249-2251, 1969, The Royal Society of Chemistry.	
C43	+	LONGS at al. "Machanism of heterocyclic ring expansions. Part IV. Reaction of all	
0,0	1 /	imidazole, pyrazole and 1,2,4-triazole with dichlorocarbene," J. Chem. Soc., 2251-2255,	
	1/	1000 The Poyal Society of Chemistry	
C44	+/-	LIONES of at "Mechanism of heterocyclic ring expansions. Part V. Base catalysed	
C44	+I	rearrangement of 2-dichloromethyl-2,5-dimethyl-2H-pyrrole and related compounds," J.	
	17	Cham Soc 2255-2259 1969 The Royal Society of Chemistry.	
045	++	JUBB, et al., "Preparation and reactivity of the first yttrium porphyrinogen complex," J.	
C45	- 11	Chem. Soc., Chemical Comm., 2641-2642, 1994, The Royal Society of Chemistry.	
		JUBB, et al., "Redox chemistry of meso-octaetylporphyinogen: Formation and opening of	
C46	-	a cyclopropane ring," <i>J. Am. Chem. Soc.</i> , 114:6571-6573, 1992, American Chemical	
	 	Society. JUBB, et al., "Lithium-Transition Metal Complexes Derived from meso-	
C47		Octaethylporphyrinogen Which Display α - and π - Bonding Modes," <i>Inorganic Chem.</i> ,	
	1	Octaethylporphyrinogen which Display & and & Bonding Wodes, morganic Society	
		31:1306-1308, 1992, American Chemical Society.	
C48	11	KAMLET, et al., "Linear Solvation Energy Relationships. 23. A Comprehensive Collection	
	1 1	of the Solvatochromic Parameters, π^* , α , and β , and Some Methods for Simplifying the	
		Generalized Solvatochromic Equation," J. Org. Chem., 48:2877-2887, 1983, American	
	11	Chemical Society	
C49		KOBAYASHI, et al., "A 'calix[4]arened' porphyrin as a new host and an oxygen carrier	
		model," Inorganica Chimica Acta, 224·1-3, 1994, Elsevier Science, Ltd.	-
C50	 	LIZUDGANOV N.I. "Cyclobeyyl phenyl ether and its isomerization to cyclonexylphenol, J.	
000	1 /	Russ. Phys. Chem. Soc., 48:1172-1174, 1916, Chemical Abstracts only, American Chemical	
		Society	
C51		1 MARY of al. "A Porphyripogen bridged with and a Porphyrin Substituted by 1,8-	
031	17	Lighthungloothroope "Lighias Ann. Chem., np. 857-858, 1994, V.C. in Verlagsgesenschart.	ļ
C52		MARX, et al., "Ein Porphyrinogen mit 1,8-Diphenylanthracen-Brücke," Liebigs Ann. Chem.,	
U32	1	Law 4044 4040 4000 M.C.H.Vorlagsgesellschaft	<u> </u>
050	 	WORZHERIN et al. "Chlorosulfonylated Calix[4] arenes: Precursors for Neutral Anion	
C53		Receptors with a Selectivity for Hydrogen Sulfate," <i>J. Org. Chem.</i> , 58:7602-7605, 1993,	
1	- [Receptors with a Selectivity for Frydrogon Schale, S. Sig. Strang Chaming Society	
L		American Chemical Society.	

Examiner	Date Considered
Signature	 7/0

		, 0	IPE		
Substitut	e for for	n 1 4 49B/PT	0	3	Complete if Known
		UNV	2 8 2001	Application Number	09/939,514
INFOR	MATIC	N Bisch	OSURE	S/Filing Date	August 24, 2001
STATE	MENT	BYAPPI	LICANT	First Named Inventor	Sessier, et al.
			RADEMARK	Group Art Unit	1626
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (use as many sheets as necessary)				Examiner Name	Not yet assigned
Sheet	5	of	7	Attorney Docket Number	045404.0003
		·			

	_	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Ref. Des.	Exr. Init.	Include Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), page(s), date (in	T ₁
C54	<i>i</i>	parentheses). If a book, also include publisher and city and/or county where published. NAGASAKI, et al., "Calix[4]arene-Capped Tetraphenylporphyrin: Synthetic Approach to a Chiral Capped Porphyrin with Regular C ₄ Symmetry," Chem. Letters, pp. 989-992, 1994,	
C55		The Chemical Society of Japan. NAGASAKI, et al., "Design and synthesis of a C ₄ -symmetrical hard-soft ditopic metal receptor by calixarene-porphyrin coupling," <i>J. Chem. Soc. Perkin Trans.</i> , 1:1883-1888,	
		August, 1995, Royal Society of Chemistry.	ļ <u>-</u>
C56		PAPPALARDO, et al., "Novel 1,2-Bridged Calix[4]crowns in the 1,2-Alternate Conformation," Tetrahedron Letters, Vol. 37, No. 22, pp. 3907-3910, May, 1996, Elsevier Sciences Ltd.	
C57		PIARULLI, et al., "Redox chemistry associated with the compexation of vanadium (V) and tungsten (VI) by meso-octaethylporphyrinogen: Formation and cleavage of cyclopropane units functioning as shuttles of two electrons," J. Am. Chem. Soc., 118:3634-3642, March, 1996, American Chemical Society.	
C58		PIARULLI, et al., "The Four-electron Oxidation of meso-Octaethylporphrinogen via a Metal-mediated Dealkylation Process: Formation of [RuL(PhCN) ₂][H ₂ L=5,15-dihydro-5,5,10,15,15,20-hexaethylporphyrin]," J. Chem. Soc., Chem. Comm., 895-896, 1994, Royal Society of Chemistry.	
C59		REES, et al., "The mechanism of heterocyclic ring expansions. Part I. The reaction of 2,3-dimethylindole with dichlorocarbene," <i>J. Chem. Soc.</i> , 928-937, 1964, Royal Society of Chemistry.	
C60		REES, et al., "The mechanism of heterocyclic ring expansions. Part II. The reaction of methylindoles with halogenocarbenes," J. Chem. Soc., 938-945, 1964, Royal Society of Chemistry.	
C61		"Removal and recovery of toxic metal ions from aqueous waste streams by utilization of polymer pendant liganda," <i>Internet</i> , Posted October 10, 1995, publisher unknown.	
C62		ROSA, et al., "The σ- and π- bonding modes of a tetraanionic porphyrinogen ligand in zirconium (IV) complexes: a theoretical investigation," <i>J. Chem. Soc.</i> , Dalton Transactions, 3759-3766, 1993, Royal Society of Chemistry.	
C63	1,	ROTHEMUND, et al., "Concerning the structure of "Acetone-pyrrole," J. Am. Chem. Soc., 77:3340-3342, 1955, American Chemical Society.	
C64		RUDKEVICH, et al., "Biscalix[4]arene-Zn-tetraarylporphyrins," Tetrahedron Letters, Vol. 35, No. 38, pp. 7131-7134, 1994, Elsevier Sciences Ltd.	
C65	\parallel	SCHEERDER, et al., "Complexation of Halide Anions and Tricarboxylate Anions by Neutral Urea-Derivatized p-tert-Butylcalix[6]arenes," J. Org. Chem., 60:6448-6454, October, 1995, American Chemical Society.	
C66		SESSLER, et al., "Anion Binding: Self-Assembly of Polypyrrolic Macrocycles," Angew. Chem. Int. Ed. Engl. 35:2782-2785, June, 1996, V C H Verlagsgesellschaft.	
C67	17	SOLARI, et al., "Bifunctional carriers of alkali-metal enolates: The use of zirconium meso- octaethylporphyrinogen in aldol condensation reactions," <i>Organometallics</i> , 16:508-510, 1997. American Chemical Society.	
C68	1	SOLARI, et al., "Functionalizable 5,5,10,10,15,15,20,20-octaethylporphyinogen complexes of early transition metals: Synthesis and Crystal Structure of titanium-, vanadium-, and chromium (III) derivatives and a two-electron oxidation of the porphyrinogen skeleton," J.	
	⊥/	Chem. Soc., Dalton Transactions, 2015-2017, 1994, Royal Society of Chemistry.	Щ.
		· · · · · · · · · · · · · · · · · · ·	

Examiner Signature	· · · · · · · · · · · · · · · · · · ·		Date Considered)	h
Org. ratus	 l	· · · · · · · · · · · · · · · · · · ·	-	7 [

•		OIP	E 4, •			<u> </u>			
Substitut	e for for	n 1449B/PTO	BR /		Complete if Known	<u> </u>			
	,		2001	Application Number	09/939,514		<u>z</u> [
INFOR	MATI	AN DISCLO	SUR	Filing Date	August 24, 2001	<u> </u>	$\frac{2}{2}$		
		APPLIC		First Named Inventor	Sessler, et al.	<u> </u>			
		sheets as nec	MARIA	Group Art Unit	1626		<u>.</u>		
(use	as many	sheets as nec	essary)	Examiner Name	Not yet assigned		\sim		
Chast	6	Of	7	Attorney Docket Number	045404.0003		200n		
Sheet	10		<u> </u>	Attorney Bookst Italians		25			
			OTHER	PRIOR ART - NON PATENT LITER	ATURE DOCUMENTS				
Ref.	Exr.	Include Name	of firet Aut	nor (in CAPITAL LETTERS), title of the	ne article (where appropriate), title o	i the item	T ₁		
Des.	Init.	(book magaz	rine inurnal	serial symposium, catalog, etc.), vo	lume-issue number(s), page(s), dat	e (in			
	Δ	narontheene)	If a book	also include publisher and city and/o	r county where published.				
C69		STEED, et	' <i>al.</i> , "A W	ater-Soluble "Bear Trap" Exhi	Diting Strong Anion Complex	auon			
				Chem. Int. Ed., Engl., 33:245	6-2457, 1994, V C FI				
		Verlagsges	sellschaft.		7.40 - started pershurings	non in almost			
C70	/	VON MAL	TZAN, B.,	"Synthesis of 2,3,7,8,12,13,1	7,18-octamethyl-porphyrinog	1082 V.C			
,	/ /	quantitative	e yield," A	Angewante Chemie, Internatio	nai Edition, English, 765-760	5, 1902, V C			
	/	H Verlags	gesellscha	aft.	-I Asian Indusion System"	I Am Chem	+		
C71		XU, et. al.,	"Inorgan	c Inclusion Chemistry: A Nov	el Anion inclusion System, o	i. Am. Onom.			
		Soc., 117:	8362-837	1, August, 1995, American Ch	temical Society.				
C72		Dialog Sea	arch, Marc	ch 25, 1997, DIALOG ® Corp.	rate with avalahayanana and	other cyclic	-		
C73		CHELINTZ	ZEV, et. al	., "Simple condensation of pyr	role with cyclonexamone and	one in respect	1		
		ketones in	mixed co	ndensation with acetone and o	everals." I Puss Phys Chen	n Soc			
1		to the abilit	ty of differ	ent ketones to condense with	1418-1410 American Chem	ical Society.			
	Ц.	48:1210-1	221, 1916	, Chemical Abstracts only, pp.	in Supramolocular Chemistry	iv-vii Title			
C74	17	GUTSCHE	E, C. Davi	d, "Calixarenes," Monographs	ni Supramolecular Chemistry	, 12 211, 11110			
	 	Page and	Table of C	Contents only, 1989, Royal So	Calividarane Butanoate 1 2-6	Alternate	_		
C75	1/	NO, et. al.,	, "Synthes	is and Molecular Structure of	1006 Korean Chemical Soc	riety	İ		
	₩	Conformer	," Bull. Ko	orean Chem. Soc., 17:447-452 alixpyrroles: Old Yet New Anio	n Rinding Agents " XXI Interi	national	T		
C76	ľ	SESSLER	., et al., C	rocyclic Chemistry, PB 29:158	tune 23-28 1996 publisher	unknown.			
	\	Symposiui	m on Mac	earch Report, Appl. No. PCT/L	IS 97/05643 August 13 199	7.			
C77	<u> </u>	PCT Interr	national S	ulti-Point Interaction of Phosph	pates with Protonated Pyridyli	porphyrin			
C78		AOYAMA,	et al., IVI	onoalkyl and Dialkyl Phosphate	es." Chemistry Letters, pp. 12	41-1244.	1		
		Discrimina	Chamiaa	Society of Japan.	23, Onormony Lone, 9, 55	•			
070	₩	1991, 1116	tal "2.7	12,17-Tetraproplyporphycene-	Counterpart of Octaethylporp	hyrin in the			
C79		Porphysor	rlai., 2,1,	" Angew. Chem. Int. Ed. Engl.	26. No. 9. pp. 928-931, 1987	7, V C H			
1		Verlagsge			, 20, 100, 2, pp	·			
000	 	VOCEL	tal "Nev	v Porphycene Ligands: Octaet	hyl- and Etioporphycene (OE	Pc and			
C80		EtioPc) -	Tetra – ar	d Pentacoordinated Zinc Com	plexes of OEPc," Angew. Ch	em. Intl. Ed.	İ		
1	N	Enorum	No. 11 ni	1600-1604 1993 V C H Ve	rlagsgesellschaft.				
COL	1	Engl., 32, No. 11, pp. 1600-1604, 1993, V C H Verlagsgesellschaft. Pending Application in India; No. 708/MAS/97 to Gale et al. filed April 3, 1997.							
C81 C82	+	ELIDI ISHO	atal "	Molecular Design and Function	ns of Novel Porphyrinogens,	67 th Annual			
1002	11	Meeting	f the Chei	mical Society of Japan, Tokyo,	Abstract 3D238, 1994 (in Jaj	panese with			
	П	□ □naliob tes	anclation)	The Chemical Society of Japa	an.		_		
C83	 	FURUSHO	O et al "	Guest responsive structural ch	langes of porphyrinogen inclu	ision crystals:			
1 003	V	a longrand	ne cooper	ative effect on quest inclusion,	" Chemical Communications,	140. ZZ, pp.			
1	1	2205-2200	6. page vi	i, and cover page, November 2	21, 1997, Royal Society of Cr	iemisuy.			
C84	/	CALE of	al "Caliv	ovrroles." Chem. Comm., pp. 1	1-8, 1998, Royal Society of C	nemistry.			
C85	//	IVERSON	l. et al. "N	Molecular Recognition of Anion	ic Species by Silica Gel Bour	nd Sapphyrin,	"		
	1 (_ , , , ,	.,,		4 4 4 01		1		

Date Examiner Considered Signature

Synthesis, Structural Studies, and Anion Binding Properties of the Isomeric Products Derived from the Condensation of p-Hydroxyacetophenone and Pyrrole," J. Am. Chem. Soc., Vol. 121, pp. 11020-11021, 1999, American Chemical Society. (Published on Web

J. Am. Chem. Soc., Vol. 116, pp. 2663-2664, 1994, American Chemical Society.

Anions," Chem. Eur. J , Vol. 4, No. 6, pp. 1095-1099, 1998, Wiley-VCH Verlag. ANZENBACHER, et al., "Calix[4]pyrroles Containing Deep Cavities and Fixed Walls.

SESSLER, et al., "Calix[4]pyrroles: New Solid-Phase HPLC Supports for the Separation of

11/13/1999)

C86

C87

Substitute for form 449B/PTO Complete if Known

NOV 2 0 2001 Application Number 09/939,514

INFORMATION DISCLOSURE Filing Date August 24, 2001

STATEMENT BY APPLICANTO First Named Inventor Sessier, et al.

Group Art Unit 1626

Examiner Name Not yet assigned

Examiner Name 045404 0003

(use as many sheets as necessary)		DEWH.	Group Art Unit	Not yet assigned	6 2	
		Examiner Name	Not yet assigned	60 01 T		
		Of	7	Attorney Docket Number	045404.0003	78
Sheet	<u> </u>					8 [
_				PRIOR ART - NON PATENT LITER	ATURE DOCUMENTS	ne item T ₁
	h		OTHER	hor (in CAPITAL LETTERS), title of t	he article (where appropriate), title of the article (where appropriate), title of the article (where appropriate), page(s), date (where applied to the article (s)).	in
	xr. l	nclude Nam	e of tirst Aut	serial symposium, catalog, etc.), ve	he article (where appropriate), and of a blume-issue number(s), page(s), date (or county where published.	
Des. \/\/	hit. (book, maga	Zirie, journa. V. If a book.	, serial, symposium, catalog, etc.), vialso include publisher and city and/o	or county where published." I An	n. Chem.
/\		ANIZENIDA	CHER	t al. "Second Generation Cal	or county where published. ixpyrrole Anion Sensors", <i>J. An</i> Chemical Society. (Published on	Web
C88 / `	1.	ANZENDA	422 22	350-9351, 2000, American C	chemical Society. (Published on	
\	,	Soc., voi.	122, pp.		- Line I	Joutral
χ		09/08/200	0)	+ of "Fluorinated Calix[4]pyrr	ole and Dipyrrolylquinoxaline: Nenhanced Selectives", J. Am. C	hom Soc
C89	77	VNZEUR	ACHER, E	th Augmented Affinities and	Enhanced Selectives", J. Am. C	illeill. 000.,
1	III	Anion Red	ceptors w	A A A A A A A A A A A A A A A A A A A	ole and Dipyrrolyiquilloxaling. Finhanced Selectives", <i>J. Am. C</i> emical Society. (Published on W	en
	1/	Val 122	nn 10200	3-10212, 2000, 7 111011-11		<u> </u>
	/	10/07/200	ነበነ		E and Colivovrroles: SVI	ithesis oi
C90	/ 	ARUMUC	SAM, et al	., "Convenient Route to Supe	2, 4)", Organic Letters, Vol. 2, Published on Web 09/01/2000)	No. 20, pp.
Can	/	CalixInlfu	rano(m)p	yrroles (n = 3, 4, 6, 8 and m -	Published on Web 09/01/2000) arenes to Calixpyrroles and	
· //		2115_211	7 2000.7	Affierican Chemidal Govern	Le Colivovrroles and	
		CAEEO	et al "Fro	American Chemical Society. In the Large Furan-Based Calixa Chemical Syntheses and Structum Chemical Syntheses and Structum.	res", Angew. Chem. Int. Ed., Vi	ol. 39, No.
C91 /		- 11 C - 16.	eniminu	TODE SVIIIIESES UNG OFF	res", Angew. Chem. Inc. Ed., V	
. //		Canx[n]IC	11 GU 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2000, Wiley-VCH Verlag.	t-" Cham C	ommun
					by a calix[6]pyrrole", <i>Chem. C</i> emistry.	Jillinur.,
C92		CAFEO,	et al., 11	00, The Royal Society of Che	emistry.	Chom
		pp. 1207	<u>-1208, 20</u>	to the Royal Cooking	emistry. hitrophenolate based anion sen- ciety of Chemistry.	sor, Chem.
C93		GALE, e	t al., "A co	blourimetric calix[4]pyffole-44 51-1852, 1999, The Royal So	ciety of Chemistry.	
"	•	Commu	<i>1.</i> , pp. 185	51-1852, 1999, The Royal Go	ion-Binding Agents", J. Am. Ch	em. Soc.,
C94			of all "Cali	XI4IDVITUIES, OIG TOTTO		
034		Vol. 118	, pp. 5140	0-5141, 1996, American Chen	nical Society. Calixpyrrole", <i>Tetrahedron Let</i> te Ltd.	rs, Vol. 38,
1005			u al "Fire	t Synthesis of all Expanded	S Control of the State of the S	
C95	å	No. 49	nn. 8443-	8444, 1997, Elsevier Science	Ltd. roles and calix[n]thieno[n]pyrrol l. 41, pp. 2919-2923, 2000, Else	es (n = 2, 3,
		IND. 401	ot al "Syr	othesis of calix[n]furano[n]pyri	oles and calix[n]therio[n]p	evier
C96		JANG,	ti annin	ach" Tetrahedron Letters, Vo	l. 41, pp. 2919-2923, 2000, Els	
1 1	Ì	4) by 3	ti appio			for anions".
1		Science	Liu.	othracene-linked calix[4]pyrro	les: fluorescent chemosensors	ioi ariiono ,
C97	1	MIYAJI,	, et al., A	nthracene-linked callx[4]pyffc , pp. 1723-1724, 1999, The F	toyal Society of Chemistry.	tria Anion
1 1	_ ^_	Chem.	Commun.	, pp. 1723-1724; 1999; Anions	s in Dichloromethane: Colorime nem. Int. Ed., Vol. 39, No. 10, p	tric Anion
C98\		MIYAJI	, et al., "N	aked-Eye Detection or among	nem. Int. Ed., Vol. 39, No. 10, p	p. 1///-
\		0	r Bacod (in Callxi4iDylloid, 7,79		l l
1	1	1780, 2	<u>2000, Wile</u>	y-VCH Verlag.	or crossing membranes", <i>Chem</i>	Tech, Vol. 29,
C99	+)	SESSL	ER, et al.	, "Anion carriers: New tools to	ociety	
ا دوی	110	INAB	nn 16-24	1999, Anterican Onomic	Calivininvrroles	: 1
0400		CECCI	ER et al	"Ditect 2difficals of Expanse	" Am Chem	Soc., Vol.
C100	V	Docafli	uorocaliXL	SIDVITORE and I levered	O /Dublished on Wel	D 11/15/2000/
	1	100 0	12061-	12062, 2000, American Chem	ical Society. (Fublished on Wol	' Angew.
	 _	122, p	D. 12001	"Extended Calixovrroles: me	so-Substituted Calix[6]pyrroles' 8, 1998, Wiley-VCH Verlag.	, ,90
C101	1	TURNI	EK, et al.,	"Extended Calixpyrroles: me Vol. 37, No. 18, pp. 2475-247	8, 1998, Wiley-VCH Verlag.	etional Group
	11	Chem.	Int. Ea.,	S. "Dosign Synthesis, and E	8, 1998, Wiley-VCH Verlag. valuation of an Efficacious Fun NMR for Measuring Host-Gues	ictional Croup
C102	1	1 14/11 (**)	AY Craid	S. Design, Synthological Sales	The second Host Gilles	il ditad
		Dvad.	Methods	and Littillations in the Or	ganic Chemistry and Photocher	nistry, edited
l	4,0	Interoc	ctions" Fi	Ontiers in Supramolecular	llochaft	1
1		l by Sci	hneider Al	10 Duff, pp. 123 <u>110, 131,</u>		Chem. voi.
C10	, 	1 WOLL	_ER, et al.	A Straightforward Sylverias	u Society (Published on Web U	7/17/1998)
10.0	11	1 63 pm	5706-57	707, 1998, American Chemica	00/039 009 filed 04/20/01	
	. 	Dondi	ng Applic	107, 1998, American Chemica ation of Gale et al., Serial No.	09/838,996, med 04/20/01:	
C10	411	Pendi	ng Appilo			
	l_				Dayle	•
Exa	miner		١.		2 onsidered	
1 5		1	1 //			

Examiner Signature

Substitut	e for form 1	449A/PT	0		Complete if Town	
INFOR	MATION	DICOL	001105	Application humber	09/939,514	
	MATION MENT B			Filing Date	08/24/01	
STATE	MENID	TAPPL	LICANI	First Named Inventor	Sessler, et al.	
(use a	is many she	ets as n	(vnceseare	Group Art Unit	1626	
<u> </u>	io many on	7		Examiner Name	Not Yet Assigned	m
Sheet	1	of	_ 1	Attorney Docket Number	045404.0003	

					LXAIIIIIE	i ivallie	Not ret Assigned	<u> </u>		
	Sheet	1	of	1	Attorney	Docket Number	045404.0003	3		J
								Ω	¥	m
					U.	S. PATENT DOCUME	NTS	Z	ळ	$\ddot{\sim}$
/	Epinea		S. Patent Do	ocument		Name of Inventor or	Applicant of Cited Document	Date of Public tion	9	\simeq
ď		No	mber		Kind Code (if known)			Cited Document	4	
	0 1 70	as m						2	2002	M
	68 0 , -	8		_,)/23	70	$\ddot{\Box}$
S		.ST				 		/2900		
Y	G TRACE							1		
		_								
- 1										
ŀ	-									
L						<u> </u>		1		

	FOREIGN PATENT DOCUMENTS								
	F	oreign Patent Docun	nent		Date of	T.			
Exr Initials	Country Code	Number	Kind Code (if known)	Name of Inventor or Applicant of Cited Document	Publication of Cited Document MM-YYYY				
-									

Exr	OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
Initials	Include Name of first Author (in CAPITAL LETTERS), title of the article (where appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), volume-issue number(s), page(s), date (in parentheses). If a book,	T ₁
	also include publisher and city and/or county where published.	
- 1	BEER et al., "Synthesis and X-Ray Crystal Structure of a New Redox-active Calix[5]arene	
1	Containing a Totally Included Ethanol Molecule", J. Chem. Soc., Chem. Commun., pp. 1851-	1
	1852, (1995), The Royal Society of Chemistry.	1
1.	FREEMANTLE, Michael, "Calixarene Family Embraces New Cousins", Chemical & Engineering	
N	News, Vol. 76, No.7, pp. 31-32, (1998), American Chemical Society.	
1	GUTSCHE et al., "Calixarenes. 4. The Synthesis, Characterization, and Properties of the	
1	Calixarenes from p-tert-Butylphenol", J. Am. Chem. Soc., Vol. 103, No. 13, pp. 3782-3792.	
	(1981), American Chemical Society.	
		╁

Examiner Signature	Date Considered
	71